



MAINTENANCE  
OF THE SYSTEM EVEN  
WHEN ACTIVE




Radiant  
Systems



Energy  
Management

EK0004  APR2025



## Innovation is a simple idea.



R88E and R8g automatic air vents  
with integrated filter and adjustable vent

The new valve series designed by Giacomini  
**preserves performance and efficiency  
of HVAC systems for longer** while guaranteeing  
greater versatility along with ease of installation,  
cleaning and maintenance.

## ➤ R88E and R89 inspectionable automatic air vents with integrated filter and adjustable vent



The new R88E and R89 automatic air vents by Giacomini **guarantee top-notch efficiency of HVAC systems** while offering simplified installation. Featuring an automatic venting function, they eliminate air from the hydraulic circuits with no need of manual interventions while enhancing the system efficiency and extending its duration. The adjustable vent – horizontal in the R88E models, and vertical in the R89 models – ensures **top-notch versatility in any layout**, while the cap with included **hygroscopic gaskets** prevents water leaks. The **integrated filter** preserves proper operation of the device in time.

The **integrated shut-off valve** enables to service the system in a quick and easy way even when it is active. The R89 series also enriches the product range with enhanced venting performances to satisfy any installation need.



① Check availability with your sales representative

## ➤ Why choose a Giacomini air vent?

Elevated venting capacity

Compact dimensions

Hygroscopic cap included


Enhanced versatility with 360° adjustable vent

Inspectionable for easy maintenance even when the system is active

Air venting system protected by a removable filter for cleaning

## ➤ Dimensions (mm)

### R88E




With no integrated shut-off valve

PRODUCT CODE	A	B	C	E
R88EY011	G 1/4" M	59	57	48

With integrated shut-off valve

PRODUCT CODE	A	B	C	D	E
R88EY002	G 3/8" M	59	57	25	48
R88EY003	G 1/2" M	59	57	25	48


### R88EI



With separate shut-off valve

PRODUCT CODE	A	B	C	D	E
R88EIY002	G 3/8" M	59	64	25	48
R88EIY003	R 1/2" "	59	64	25	48

### R89



With no integrated shut-off valve

PRODUCT CODE	A	B	C
R89Y012	G 3/8" M	57	91
R89Y013	G 1/2" M	57	91
R89Y014	G 3/4" M	57	93
R89Y015	G 1" M	57	93

With integrated shut-off valve

PRODUCT CODE	A	B	C	D
R89Y002	G 3/8" M	57	91	26
R89Y003	G 1/2" M	57	91	26

## ➤ Additional CT components - hydraulic separators, dirt separators, filters



**R74M**  
Inspectionable filter with magnet



**R146CK**  
Adjustable magnetic dirt separator with accessories



**R145XC**  
Compact magnetic filter-dirt separator



**R148HP series**  
Freezing protection valves for monobloc heat pumps



**R586HPI**  
Hydronic unit for heat pumps



**R586R - R586SEP**  
Preassembled pump units with boiler room manifold and hydraulic separator



**WATCH THE VIDEO**



advertising®

GIACOMINI S.P.A.  
VIA PER ALZO, 39  
28017 SAN MAURIZIO D'OPAGLIO  
NOVARA ITALY

---

