



Water
Management

EW0004  APR2024



R585CS modular manifolds for domestic water

Quick and simple tool-free installation.
No need for additional sealing
elements such as hemp or PTFE
thanks to the pre-assembled O-Ring.

Quick and simple assembly thanks to phased threads and pre-assembled O-Ring



40-mm center distance for use of compression fittings adaptors

Convenient connection with \varnothing 20-mm pipes and smaller diameters



WARNING: Installation must be carried out by a qualified operator according to the instructions provided.

Giacomini's R585CS modular manifolds with shut-off valves for domestic water systems are designed to **streamline at best installation work** while offering a simple and quick assembly also in confined spaces. **Threads phasings** enables to

perfectly align manifolds which can be assembled **tool-free**. Plus, the **pre-assembled O-Ring** on the male thread ensures proper sealing with no need for additional elements such as hemp or PTFE. Giacomini's R585CS modular manifolds are



State-of-the-art versatility and compactness

Available in two versions (3/4" x 3/4" and 1" x 3/4") with 2, 3 or 4 connections, the R585CS modular manifolds are compatible with **16- and 20-mm pipes** via compression fittings: the **40-mm center distance** allows for easy connection using the R131 wrench.

user friendly. Handwheels are connected to the shut-off cock with a screw and include two metal plates: the first shows the **related single usage point**, while the second indicates if the **domestic water flowing through the manifold is hot or cold**.

Handwheels with identification plates for different usage points



☑ 3/4" E outlet
☑ Outlets center distance: 40 mm




Manifold with 3 outlets



Manifold with 2 outlets

Versions and system components

Product code	Manifold connections x outlets	Number of outlets
R585CSX122	G 3/4" x 3/4"E	2
R585CSX123		3
R585CSX124		4
R585CSX142	G 1" x 3/4"E	2
R585CSX143		3
R585CSX144		4



R599

Plastic cabinet with lid, depth 90 mm

R598K

Pair of plastic supports to install the manifolds in the R599 cabinet

R584

Plastic cabinet with lid and assembly kit, depth 86 mm

R592DCS

End plug in chrome-plated brass, male thread

R594CS

End cap in chrome-plated brass, female thread

R179E

3/4"E adaptors for plastic or multilayer pipes

R178E

3/4"E adaptors for copper pipes

RM179E

Multi-jaw straight press fitting for plastic or multilayer pipes with 3/4"E nut

R859 or other models

Shut-off ball valves



WATCH THE VIDEO AND
DISCOVER THE R585CS
MODULAR MANIFOLDS

